

Off  **IPv6**

### Dashboard

- Dashboard
- Wizards
- Online Status

Search menu

- WAN
- LAN
- Hotspot Web Portal
- Routing
- NAT
- Hardware Acceleration
- Firewall
- User Management
- Objects Setting
- CSM
- Bandwidth Management
- Applications
- VPN and Remote Access
- Certificate Management
- Mesh
- Wireless LAN (2.4 GHz)
- Wireless LAN (5 GHz)
- USB Application
- System Maintenance
- Diagnostics

- Central Management
- VPN
- AP
- Switch
- External Devices

- MyVigor Services
- Product Registration
- Service Status

All Rights Reserved.

Admin mode  
Status: Ready

Vigor2862ac  
 VDSL2 Security Firewall

Wireless LAN  
ON/OFF/WPS

**ACT**

**WAN2**

**QoS**

**DSL**

**WCF**

Factory  
Reset

**USB**  
2.4G

**5G**

**DMZ**

**DSL**

**LAN ▶ P1**

**P2**

**P3**

**P4**

**P5 / WAN2**

**USB**

System Information			
Model Name	Vigor2862ac	System Up Time	654:44:52
<b>Router Name</b>	DrayTek	<b>Current Time</b>	Tue Jan 23 2024 16:40:05
Firmware Version	3.9.9.2_BT	Build Date/Time	Jul 18 2023 15:56:45
DSL Version	779517_A/B/C HW: A	LAN MAC Address	00-1D-AA-76-13-70

User Mode is **OFF** now.  
[Customize Dashboard](#)

Quick Access
<a href="#">System Status</a>
<a href="#">Dynamic DNS</a>
<a href="#">TR-069</a>
<a href="#">User Management</a>
<a href="#">IM/P2P Block</a>
<a href="#">Schedule</a>
<a href="#">SysLog / Mail Alert</a>
<a href="#">LDAP</a>
<a href="#">RADIUS</a>
<a href="#">Firewall Object Setting</a>
<a href="#">Data Flow Monitor</a>

Off  IPv6

### NAT >> Open Ports >> Edit Open Ports

#### Index No. 1

Enable Open Ports

Comment

WAN Interface

Source IP

Private IP

	Protocol	Start Port	End Port		Protocol	Start Port	End Port
1.	<input type="text" value="UDP"/>	<input type="text" value="5065"/>	<input type="text" value="5065"/>	2.	<input type="text" value="UDP"/>	<input type="text" value="10000"/>	<input type="text" value="10010"/>
3.	<input type="text" value="TCP/UDP"/>	<input type="text" value="0"/>	<input type="text" value="0"/>	4.	<input type="text" value="TCP/UDP"/>	<input type="text" value="0"/>	<input type="text" value="0"/>
5.	<input type="text" value="TCP/UDP"/>	<input type="text" value="0"/>	<input type="text" value="0"/>	6.	<input type="text" value="TCP/UDP"/>	<input type="text" value="0"/>	<input type="text" value="0"/>
7.	<input type="text" value="TCP/UDP"/>	<input type="text" value="0"/>	<input type="text" value="0"/>	8.	<input type="text" value="TCP/UDP"/>	<input type="text" value="0"/>	<input type="text" value="0"/>
9.	<input type="text" value="TCP/UDP"/>	<input type="text" value="0"/>	<input type="text" value="0"/>	10.	<input type="text" value="TCP/UDP"/>	<input type="text" value="0"/>	<input type="text" value="0"/>

Dashboard  
Wizards  
Online Status

WAN  
LAN  
Hotspot Web Portal  
Routing  
NAT

Port Redirection  
DMZ Host  
**Open Ports**  
Port Triggering  
ALG

Hardware Acceleration  
Firewall  
User Management  
Objects Setting  
CSM  
Bandwidth Management  
Applications  
VPN and Remote Access  
Certificate Management  
Mesh  
Wireless LAN (2.4 GHz)  
Wireless LAN (5 GHz)  
USB Application  
System Maintenance  
Diagnostics

Central Management  
VPN  
AP  
Switch  
External Devices

MyVigor Services  
Product Registration  
Service Status

Admin mode  
Status: Ready

Off ▾

IPv6

Dashboard  
Wizards  
Online Status

Search menu

WAN  
LAN  
Hotspot Web Portal  
Routing  
NAT  
  Port Redirection  
  DMZ Host  
  Open Ports  
  Port Triggering  
**ALG**  
Hardware Acceleration  
Firewall  
User Management  
Objects Setting  
CSM  
Bandwidth Management  
Applications  
VPN and Remote Access  
Certificate Management  
Mesh  
Wireless LAN (2.4 GHz)  
Wireless LAN (5 GHz)  
USB Application  
System Maintenance  
Diagnostics

Central Management  
VPN  
AP  
Switch  
External Devices

MyVigor Services  
Product Registration  
Service Status

Admin mode  
Status: Ready

NAT >> ALG

### ALG (Application Layer Gateway)

[Set to Factory Default](#)

Enable ALG

<input type="checkbox"/> Enable	Protocol	Listen Port	TCP	UDP
<input type="checkbox"/>	SIP	5060 (1~65535)	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
<input type="checkbox"/>	RTSP	554 (1~65535)	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

OK